




- 1. Deco Space
- 2. Deco Panel vertical
- 3. Deco Panel horizontal
- 4. Deco Louvre vertical
- 5. Deco Louvre horizontal
- 6. Narcis






Deco Space




Deco Space Dimensions

SVSW_Space Vertical Single Wall




SVDW_Space Vertical Double Wall



Connections

Code: 1° number = flow
2° number = return



Standard connection

Central connection at the bottom end, code MM, flow left or right.

Bottom end connection

Specify code 18 instead of MM. Connection 18 or 81 possible. (LL or RR is also possible)

Top end connection

Specify code 45 or 54 instead of MM. Provide an air vent on the central heating tube.

Side end connection

Ordering code: specify 32, 67, 41 or 58 instead of MM. Code 32 or 67 not suitable for the perpendicular to the wall model (SVSS/SVDS).

Cross-over connection

Ordering code: specify 51 or 48 instead of MM.

Single point connection


Ordering code: specify code 22 (left) or 77 (right) instead of MM.

Always use a horizontal diffusion tube (\varnothing 10 to 12 mm) of min. length of 100 mm and a reduction washer.

Non standard connections without surcharge


Fixings

Standard wall fixing




Ceiling fixing


The ceiling fixing is identical to the feet. It has however a length of 50 cm which can be adapted by the contractor on site.



Foot




Side end fixing



Configurations on size: see parts. Non standard-fixings are welded to the radiator and cannot be changed or reordered afterwards.

Deco Space_vertical single

Standard SVSW




Standard delivery

- central connection MM underneath
- wall fixing
- chrome-plated air vent and drain cock

Standard colours:

- white (233) RAL 9016 glossy
- white (201) RAL 9010 glossy
- sandblast grey metallic (001)

Surcharge for freestanding model SVSF




Length min. 56 cm.
option connection set 42

Ex. **SVSF**. 120 056. XXX/MM

CODE
Code SVSF instead of SVSW

Deco Space_vertical double

Standard SVDW




Standard delivery

- central connection MM underneath
- wall fixing
- chrome-plated air vent and drain cock

Standard colours:

- white (233) RAL 9016 glossy
- white (201) RAL 9010 glossy
- sandblast grey metallic (001)

Surcharge for freestanding model SVDF




Length min. 56 cm.
option connection set 42

Ex. **SVDF**. 120 056. XXX/MM

CODE
Code SVDF instead of SVDW

Surcharge for positioning perpendicular to the wall SVSS




Height max. 220 cm.
Length min. 56 cm, max. 104 cm.
option connection set 42

Ex. **SVSS**. 120 056. XXX/LL or RR

CODE	description
Code SVSS instead of SVSW	1 foot 2 side end fixings

Surcharge for positioning perpendicular to the wall SVDS



Height max. 220 cm.
Length min. 56 cm, max. 104 cm.
option connection set 42

Ex. **SVDS**. 120 056. XXX/LL or RR

CODE	description
Code SVDS instead of SVDW	1 foot 2 side end fixings



Output measured in accordance with EN442, at a water temperature of 75/65 and a room temperature of 20°C (ΔT=50).

Outputs

Deco Space_vertical single		ORDERING CODE: SVSW.															code	height	length	colour	conn.		
		L 032	036	040	044	048	052	056	060	064	068	072	076	080	088	096	104	112	120	120	032.	XXX	/MM
120	75/65/20	595	670	744	818	893	967	1042	1116	1190	1265	1339	1414	1488	1637	1786	1934	2083	2232				
	90/70/20	755	850	944	1038	1133	1227	1322	1416	1510	1605	1699	1794	1888	2077	2266	2454	2643	2832				
140	75/65/20	694	780	867	954	1040	1127	1214	1301	1387	1474	1561	1647	1734	1907	2081	2254	2428	2601				
	90/70/20	880	989	1099	1209	1318	1428	1539	1649	1758	1868	1979	2088	2198	2417	2638	2857	3077	3297				
160	75/65/20	790	888	987	1086	1184	1283	1382	1481	1579	1678	1777	1875	1974	2171	2369	2566	2764	2961				
	90/70/20	1001	1125	1250	1375	1500	1625	1750	1876	2000	2125	2251	2375	2500	2750	3000	3250	3501	3750				
180	75/65/20	884	995	1105	1216	1326	1437	1547	1658	1768	1879	1989	2100	2210	2431	2652	2873	3094	3315				
	90/70/20	1119	1259	1398	1539	1678	1818	1958	2098	2237	2378	2517	2657	2797	3076	3356	3635	3915	4195				
192	75/65/20	939	1057	1174	1291	1409	1526	1644	1761	1878	1996	2113	2231	2348	2583	2818	3052	3287	3522				
	90/70/20	1188	1337	1485	1633	1782	1930	2079	2227	2375	2524	2672	2822	2970	3267	3564	3860	4157	4454				
200	75/65/20	976	1098	1220	1342	1464	1586	1708	1830	1952	2074	2196	2318	2440	2684	2928	3172	3416	3660				
	90/70/20	1234	1388	1543	1697	1851	2005	2160	2314	2468	2622	2777	2931	3085	3394	3702	4011	4319	4628				
220	75/65/20	1066	1199	1332	1465	1598	1732	1865	1998	2131	2264	2398	2531	2664	2930	3197	3463	3730	3996				
	90/70/20	1347	1515	1683	1851	2019	2188	2356	2524	2692	2860	3029	3197	3365	3702	4039	4375	4712	5048				
240	75/65/20	1153	1297	1441	1585	1729	1873	2017	2162	2306	2450	2594	2738	2882	3170	3458	3747	4035	4323				
	90/70/20	1456	1637	1819	2001	2183	2364	2546	2729	2911	3093	3275	3456	3638	4002	4365	4730	5094	5457				
260	75/65/20	1237	1391	1546	1701	1855	2010	2164	2319	2474	2628	2783	2937	3092	3401	3710	4020	4329	4638				
	90/70/20	1560	1754	1950	2145	2340	2535	2729	2925	3120	3315	3510	3704	3900	4289	4679	5070	5460	5850				
280	75/65/20	1319	1484	1649	1814	1979	2144	2309	2474	2638	2803	2968	3133	3298	3628	3958	4287	4617	4947				
	90/70/20	1662	1870	2078	2286	2494	2702	2910	3117	3324	3532	3740	3948	4156	4572	4987	5402	5818	6234				
300	75/65/20	1399	1574	1749	1924	2099	2274	2449	2624	2798	2973	3148	3323	3498	3848	4198	4547	4897	5247				
	90/70/20	1762	1982	2202	2423	2643	2863	3084	3304	3523	3744	3964	4184	4405	4845	5286	5725	6166	6607				

Deco Space_vertical double

ORDERING CODE: SVDW. *code* height length colour conn.
120 032. XXX /MM



H		L 032	036	040	044	048	052	056	060	064	068	072	076	080	088	096	104	112	120
120	75/65/20	991	1115	1239	1363	1487	1611	1735	1859	1982	2106	2230	2354	2478	2726	2974	3221	3469	3717
	90/70/20	1265	1423	1581	1740	1898	2056	2214	2373	2530	2688	2846	3004	3163	3479	3796	4111	4427	4744
140	75/65/20	1136	1278	1420	1562	1704	1846	1988	2130	2272	2414	2556	2698	2840	3124	3408	3692	3976	4260
	90/70/20	1450	1631	1812	1993	2174	2356	2537	2718	2899	3080	3262	3443	3624	3986	4349	4711	5074	5436
160	75/65/20	1278	1437	1597	1757	1916	2076	2236	2396	2555	2715	2875	3034	3194	3513	3833	4152	4472	4791
	90/70/20	1631	1834	2038	2242	2445	2649	2853	3057	3260	3464	3669	3872	4076	4483	4891	5298	5706	6114
180	75/65/20	1418	1595	1772	1949	2126	2304	2481	2658	2835	3012	3190	3367	3544	3898	4253	4607	4962	5316
	90/70/20	1809	2035	2261	2487	2712	2939	3165	3391	3617	3843	4070	4296	4521	4973	5426	5878	6331	6782
192	75/65/20	1500	1688	1875	2063	2250	2438	2625	2813	3000	3188	3375	3563	3750	4125	4500	4875	5250	5625
	90/70/20	1914	2154	2392	2632	2871	3110	3349	3589	3827	4067	4306	4546	4784	5263	5741	6220	6698	7176
200	75/65/20	1554	1749	1943	2137	2332	2526	2720	2915	3109	3303	3497	3692	3886	4275	4663	5052	5440	5829
	90/70/20	1982	2231	2478	2726	2975	3222	3470	3718	3966	4213	4461	4709	4957	5453	5948	6444	6939	7435
220	75/65/20	1690	1901	2112	2323	2534	2746	2957	3168	3379	3590	3802	4013	4224	4646	5069	5491	5914	6336
	90/70/20	2156	2425	2694	2963	3232	3503	3772	4041	4310	4579	4850	5119	5388	5926	6466	7004	7544	8082
240	75/65/20	1823	2051	2279	2507	2735	2963	3191	3419	3646	3874	4102	4330	4558	5014	5470	5925	6381	6837
	90/70/20	2325	2616	2907	3197	3488	3779	4070	4360	4650	4941	5231	5522	5813	6395	6976	7556	8138	8720
260	75/65/20	1954	2199	2443	2687	2932	3176	3420	3665	3909	4153	4397	4642	4886	5375	5863	6352	6840	7329
	90/70/20	2492	2804	3116	3427	3739	4050	4362	4674	4985	5297	5608	5920	6231	6855	7477	8101	8723	9347
280	75/65/20	2085	2345	2606	2867	3127	3388	3648	3909	4170	4430	4691	4951	5212	5733	6254	6776	7297	7818
	90/70/20	2659	2990	3323	3656	3987	4320	4652	4984	5317	5649	5982	6313	6646	7310	7975	8640	9304	9969
300	75/65/20	2213	2489	2766	3043	3319	3596	3872	4149	4426	4702	4979	5255	5532	6085	6638	7192	7745	8298
	90/70/20	2822	3174	3527	3880	4232	4585	4937	5290	5644	5996	6349	6701	7054	7759	8464	9171	9876	10581



Options

Options are combinable, and can be applied on desired height.


Towel rail coated



CODE
9091.LLL ...
length radiator
colour

Shelf in beech veneer


Only possible starting at height 180 cm!



CODE	min. L radiator		L'
9091.011400	40	single	40
9091.021400	40	double	40

Towel rail chrome


Only possible starting at height 180 cm!



CODE	min. L radiator		L'
9091.013560	52	single	56
9091.023560	52	double	56
9091.013660	64	single	66
9091.023660	64	double	66

Hat-rack chrome

Only possible starting at height 180 cm!



CODE	min. L radiator		L'
9091.012560	52	single	56
9091.022560	52	double	56
9091.012660	64	single	66
9091.022660	64	double	66




Deco Panel vertical




Deco Panel_vertical

Dimensions

PVSW_Panel Vertical Single Wall




PVDW_Panel Vertical Double Wall



Connections

Code: 1° number = flow
2° number = return



Standard connection

Central connection at the bottom end, code MM, flow left or right.

Bottom end connection

Specify code 18 instead of MM. Connection 18 or 81 possible. (LL or RR is also possible)

Top end connection

Specify code 45 or 54 instead of MM. Provide an air vent on the central heating tube.

Side end connection

Ordering code: specify 32, 67, 41 or 58 instead of MM. Code 32 or 67 not suitable for the perpendicular to the wall model (PVSS/PVDS).

Cross-over connection

Ordering code: specify 51 or 48 instead of MM.

Single point connection


Ordering code: specify code 22 (left) or 77 (right) instead of MM.

Always use a horizontal diffusion tube (\varnothing 10 to 12 mm) of min. length of 100 mm and a reduction washer.

Non standard connections without surcharge


Fixings

Standard wall fixing




Ceiling fixing

The ceiling fixing is identical to the feet. It has however a length of 50 cm which can be adapted by the contractor on site.




Foot



Side end fixing

Dimensions in cm


	PVSS	PVDS
A	2.0	3.7
B	4.0	6.8



Configurations on size: see parts. Non standard-fixings are welded to the radiator and cannot be changed or reordered afterwards.

Deco Panel_vertical single

Standard PVSW




Standard delivery

- central connection MM underneath
- wall fixing
- chrome-plated air vent and drain cock

Deco Panel_vertical double

Standard PVDW



Standard delivery

- central connection MM underneath
- wall fixing
- chrome-plated air vent and drain cock

Options


Extended wall fixings (only suitable for PVSW)

Code 9092.50

The space between the rear of the collector and the wall is 3.7 cm instead of 1.7 cm.

Only possible in combination with connection to the wall and with Deco-Pro valve.
Supplied free if the order code is specified along with the appliance code.

Surcharge for freestanding model PVSF




Length min. 53 cm.
option connection set 42

Ex. **PVSF. 120 053. XXX/MM**

CODE	description
Code PVSF instead of PVSW	2 feet 2 ceiling fixings

Surcharge for freestanding model PVDF




Length min. 53 cm.
option connection set 42

Ex. **PVDF. 120 053. XXX/MM**

CODE	description
Code PVDF instead of PVDW	2 feet 2 ceiling fixings

Surcharge for positioning perpendicular to the wall PVSS




Height max. 220 cm,
Length min. 53 cm, max. 103 cm.
option connection set 42

Ex. **PVSS. 120 053. XXX/LL or RR**

CODE	description
Code PVSS instead of PVSW	1 foot

Surcharge for positioning perpendicular to the wall PVDS



Height max. 220 cm,
Length min. 53 cm, max. 103 cm.
option connection set 42

Ex. **PVDS. 120 053. XXX/LL or RR**

CODE	description
Code PVDS instead of PVDW	1 foot



Output measured in accordance with EN442, at a water temperature of 75/65 and a room temperature of 20°C ($\Delta T=50$).

Outputs

Deco Panel_vertical single		<i>code</i>	<i>height</i>	<i>length</i>	<i>colour</i>	<i>conn.</i>	ORDERING CODE: PVSW.												
H		L 028	034	040	047	053	059	066	072	078	084	091	097	103	110	116	122	129	135
120	75/65/20	340	425	510	595	680	765	850	935	1020	1105	1190	1275	1360	1445	1530	1615	1700	1785
	90/70/20	431	539	647	755	863	970	1078	1186	1294	1402	1509	1617	1725	1833	1941	2048	2156	2264
140	75/65/20	390	488	586	683	781	878	976	1074	1171	1269	1366	1464	1562	1659	1757	1854	1952	2050
	90/70/20	495	619	744	867	991	1114	1238	1363	1486	1610	1733	1858	1982	2105	2229	2352	2477	2601
160	75/65/20	440	551	661	771	881	991	1101	1211	1321	1431	1541	1652	1762	1872	1982	2092	2202	2312
	90/70/20	558	699	839	979	1118	1258	1398	1537	1677	1816	1956	2097	2237	2376	2516	2655	2795	2935
180	75/65/20	490	613	736	858	981	1103	1226	1349	1471	1594	1716	1839	1962	2084	2207	2329	2452	2575
	90/70/20	622	779	935	1090	1246	1401	1557	1713	1868	2024	2179	2336	2492	2647	2803	2958	3114	3270
192	75/65/20	520	651	781	911	1041	1171	1301	1431	1561	1691	1821	1952	2082	2212	2342	2472	2602	2732
	90/70/20	661	827	992	1157	1322	1487	1653	1818	1983	2148	2313	2480	2645	2810	2975	3140	3305	3470
200	75/65/20	540	676	811	946	1081	1216	1351	1486	1621	1756	1891	2027	2162	2297	2432	2567	2702	2837
	90/70/20	686	859	1030	1202	1373	1545	1716	1888	2059	2231	2402	2575	2747	2918	3090	3261	3433	3604
220	75/65/20	590	738	886	1033	1181	1328	1476	1624	1771	1919	2066	2214	2362	2509	2657	2804	2952	3100
	90/70/20	750	938	1126	1313	1501	1688	1876	2064	2251	2439	2626	2814	3002	3189	3377	3564	3752	3941
240	75/65/20	641	801	961	1121	1282	1442	1602	1762	1922	2083	2243	2403	2563	2723	2884	3044	3204	3364
	90/70/20	815	1019	1222	1425	1630	1834	2037	2241	2444	2649	2852	3056	3259	3463	3667	3871	4074	4278
260	75/65/20	692	865	1037	1210	1383	1556	1729	1902	2075	2248	2421	2594	2766	2939	3112	3285	3458	3631
	90/70/20	880	1100	1319	1539	1759	1979	2199	2420	2640	2860	3080	3300	3519	3739	3959	4179	4399	4619
280	75/65/20	743	929	1114	1300	1486	1671	1857	2043	2228	2414	2600	2786	2971	3157	3343	3528	3714	3900
	90/70/20	946	1182	1418	1655	1891	2127	2364	2600	2836	3073	3309	3546	3781	4018	4255	4490	4727	4964
300	75/65/20	794	993	1191	1390	1588	1787	1985	2184	2382	2581	2779	2978	3176	3375	3573	3772	3970	4169
	90/70/20	1011	1264	1516	1770	2022	2275	2527	2781	3033	3286	3538	3792	4044	4297	4549	4803	5055	5308

Deco Panel_vertical double

ORDERING CODE: PVDW. *code* height length colour conn.
120 028. XXX /MM

H		L 028	034	040	047	053	059	066	072	078	084	091	097	103	110	116	122	129	135
120	75/65/20	532	666	799	932	1065	1198	1331	1464	1597	1730	1863	1997	2130	2263	2396	2529	2662	2795
	90/70/20	677	848	1017	1186	1356	1525	1694	1864	2033	2202	2372	2542	2712	2881	3050	3219	3389	3558
140	75/65/20	604	755	905	1056	1207	1358	1509	1660	1811	1962	2113	2264	2414	2565	2716	2867	3018	3169
	90/70/20	769	961	1152	1344	1537	1729	1921	2113	2305	2498	2690	2882	3073	3265	3458	3650	3842	4034
160	75/65/20	672	841	1009	1177	1345	1513	1681	1849	2017	2185	2353	2522	2690	2858	3026	3194	3362	3530
	90/70/20	855	1071	1284	1498	1712	1926	2140	2354	2568	2782	2995	3211	3424	3638	3852	4066	4280	4494
180	75/65/20	740	925	1109	1294	1479	1664	1849	2034	2219	2404	2589	2774	2958	3143	3328	3513	3698	3883
	90/70/20	942	1177	1412	1647	1882	2118	2353	2589	2824	3060	3295	3531	3765	4000	4236	4471	4707	4942
192	75/65/20	779	974	1169	1364	1558	1753	1948	2143	2338	2532	2727	2922	3117	3312	3506	3701	3896	4091
	90/70/20	992	1240	1488	1736	1983	2231	2479	2728	2976	3223	3471	3719	3967	4215	4462	4711	4959	5207
200	75/65/20	806	1007	1208	1410	1611	1813	2014	2215	2417	2618	2820	3021	3222	3424	3625	3827	4028	4229
	90/70/20	1026	1282	1538	1795	2050	2308	2563	2819	3076	3332	3589	3845	4101	4358	4614	4871	5127	5383
220	75/65/20	870	1087	1304	1522	1739	1957	2174	2391	2609	2826	3044	3261	3478	3696	3913	4131	4348	4565
	90/70/20	1107	1384	1660	1937	2213	2491	2767	3043	3321	3597	3874	4151	4427	4704	4980	5258	5534	5810
240	75/65/20	933	1166	1399	1632	1866	2099	2332	2565	2798	3032	3265	3498	3731	3964	4198	4431	4664	4897
	90/70/20	1187	1484	1780	2077	2375	2671	2968	3264	3561	3858	4155	4451	4748	5044	5342	5639	5935	6232
260	75/65/20	995	1244	1492	1741	1990	2238	2487	2736	2984	3233	3482	3731	3979	4228	4477	4725	4974	5223
	90/70/20	1266	1583	1899	2216	2532	2848	3165	3482	3797	4114	4431	4748	5064	5380	5697	6013	6330	6647
280	75/65/20	1056	1320	1583	1847	2111	2375	2639	2903	3167	3431	3695	3959	4222	4486	4750	5014	5278	5542
	90/70/20	1344	1680	2014	2350	2686	3022	3358	3694	4030	4366	4702	5038	5373	5709	6045	6381	6717	7053
300	75/65/20	1116	1395	1673	1952	2231	2510	2789	3068	3347	3626	3905	4184	4462	4741	5020	5299	5578	5857
	90/70/20	1420	1775	2129	2484	2839	3194	3549	3903	4258	4613	4968	5323	5677	6032	6387	6742	7097	7452






Deco Panel horizontal



Deco Panel_horizontal

Dimensions


PHSW_Panel Horizontal Single Wall



● standard connection
○ variant

Connections

Code: 1° number = flow
2° number = return



Standard connection

Code 18
Connection 18 or 81

Side end connection

One-sided: code 32 or 67 instead of 18
Cross-over: code 37 or 62 instead of 18


Single point connection

Specify code 11 (left) or 88 (right) instead of 18.

Always use a vertical diffusion tube (ø 10 to 12mm) of min. length of 100 mm and a reduction washer.


Fixings

Standard wall fixing




Foot

PHSF




PHDF



Side end fixing

PHDW_Panel Horizontal Double Wall




● standard connection
○ variant

Non standard connections without surcharge

Dimensions in cm


	PHSS	PHDS
A	2.0	3.7
B	4.0	6.8



Configurations on size: see parts. Non standard-fixings are welded to the radiator and cannot be changed or reordered afterwards.

Deco Panel_horizontal single Deco Panel_horizontal double


Standard PHSW _____



Standard delivery

- connection 18 underneath
- wall fixing
- chrome-plated air vent and drain cock


Standard PHDW _____



Standard delivery

- connection 18 underneath
- wall fixing
- chrome-plated air vent and drain cock

Surcharge for freestanding model PHSF _____




Height max. 47 cm.

Ex. **PHSF.** 028 100. XXX/32 or 67

CODE	description
Code	up to L 220
PHSF	2 feet
instead of PHSW	from L 240 3 feet

Surcharge for freestanding model PHDF _____



Height max. 47 cm.
Option connection set 31/33.

Ex. **PHDF.** 028 100. XXX/27, 72, 32 or 67

CODE	description
Code	up to L 220
PHDF	2 feet
instead of PHDW	from L 240 3 feet



Output measured in accordance with EN442, at a water temperature of 75/65 and a room temperature of 20°C ($\Delta T=50$).

Outputs

Deco Panel_horizontal single

code height length colour conn.
ORDERING CODE: PHSW. 028 100. XXX /18


H		L 100	120	140	160	180	200	220	240	260	280	300
028	75/65/20	270	324	378	432	486	540	594	648	702	756	810
	90/70/20	345	415	484	553	622	691	760	829	898	967	1036
034	75/65/20	344	413	481	550	619	688	757	825	894	963	1032
	90/70/20	440	528	615	703	791	880	968	1055	1143	1231	1319
040	75/65/20	418	501	585	668	752	835	919	1002	1086	1170	1253
	90/70/20	534	640	747	853	961	1067	1174	1280	1387	1495	1601
047	75/65/20	491	589	687	786	884	982	1080	1178	1276	1375	1473
	90/70/20	627	752	877	1003	1128	1253	1378	1503	1629	1755	1880
053	75/65/20	563	676	789	901	1014	1127	1239	1352	1465	1577	1690
	90/70/20	718	862	1006	1149	1293	1437	1580	1724	1868	2011	2155
059	75/65/20	635	762	889	1015	1142	1269	1396	1523	1650	1777	1904
	90/70/20	809	971	1133	1293	1455	1617	1779	1941	2102	2264	2426
066	75/65/20	705	846	987	1128	1268	1409	1550	1691	1832	1973	2114
	90/70/20	897	1077	1256	1436	1614	1794	1973	2153	2332	2512	2691
072	75/65/20	773	928	1083	1237	1392	1547	1701	1856	2011	2165	2320
	90/70/20	983	1180	1377	1573	1770	1968	2163	2361	2558	2754	2951
078	75/65/20	841	1009	1177	1345	1513	1681	1849	2017	2185	2354	2522
	90/70/20	1069	1282	1496	1709	1923	2136	2350	2563	2777	2992	3205
084	75/65/20	906	1087	1269	1450	1631	1812	1994	2175	2356	2537	2719
	90/70/20	1150	1380	1611	1841	2071	2301	2532	2762	2992	3221	3453
091	75/65/20	970	1164	1358	1552	1746	1940	2134	2329	2523	2717	2911
	90/70/20	1231	1477	1723	1969	2215	2462	2708	2955	3201	3447	3694
097	75/65/20	1033	1239	1446	1652	1859	2065	2272	2478	2685	2891	3098
	90/70/20	1310	1571	1833	2094	2357	2618	2880	3141	3404	3665	3927

Deco Panel_horizontal double

code height length colour conn.
ORDERING CODE: PHDW. 028 100. XXX /18

H		L 100	120	140	160	180	200	220	240	260	280	300
028	75/65/20	526	632	737	842	948	1053	1158	1264	1369	1474	1579
	90/70/20	667	801	935	1068	1202	1335	1469	1603	1736	1869	2002
034	75/65/20	644	772	901	1030	1158	1287	1416	1544	1673	1802	1931
	90/70/20	816	979	1142	1306	1468	1632	1795	1957	2121	2284	2448
040	75/65/20	757	909	1060	1212	1363	1515	1666	1818	1969	2121	2272
	90/70/20	959	1152	1344	1536	1728	1920	2112	2304	2496	2688	2880
047	75/65/20	869	1042	1216	1390	1564	1737	1911	2085	2259	2432	2606
	90/70/20	1101	1320	1541	1761	1982	2201	2422	2642	2863	3082	3302
053	75/65/20	978	1173	1369	1564	1760	1955	2151	2346	2542	2737	2933
	90/70/20	1239	1486	1734	1981	2230	2477	2725	2972	3220	3467	3715
059	75/65/20	1084	1301	1518	1735	1951	2168	2385	2602	2819	3035	3252
	90/70/20	1373	1648	1923	2197	2471	2746	3021	3296	3570	3844	4119
066	75/65/20	1189	1426	1664	1902	2139	2377	2615	2852	3090	3328	3566
	90/70/20	1506	1806	2107	2409	2709	3010	3311	3612	3913	4214	4516
072	75/65/20	1291	1549	1807	2066	2324	2582	2840	3098	3357	3615	3873
	90/70/20	1634	1961	2287	2615	2942	3268	3595	3922	4249	4576	4903
078	75/65/20	1392	1670	1948	2227	2505	2783	3062	3340	3618	3897	4175
	90/70/20	1762	2114	2465	2819	3170	3522	3875	4227	4579	4932	5284
084	75/65/20	1490	1789	2087	2385	2683	2981	3279	3577	3875	4173	4471
	90/70/20	1885	2264	2641	3018	3395	3772	4149	4526	4903	5280	5658
091	75/65/20	1588	1905	2223	2540	2858	3175	3493	3810	4128	4445	4763
	90/70/20	2009	2410	2812	3213	3615	4016	4418	4819	5222	5623	6025
097	75/65/20	1683	2020	2356	2693	3030	3366	3703	4039	4376	4713	5049
	90/70/20	2128	2555	2980	3406	3832	4257	4683	5108	5534	5961	6385





Deco Louvre vertical




Deco Louvre_vertical

Dimensions


LVSW.../ L or R

Louvre Vertical Single Wall / Left or Right




LVDW.../ L or R

Louvre Vertical Double Wall / Left or Right



Connections

Code: 1° number = flow
2° number = return



Standard connection

Central connection at the bottom end, code MM, flow left or right.

Bottom end connection

Specify code 18 instead of MM. Connection 18 or 81 possible. (LL or RR is also possible)

Top end connection

Specify code 45 or 54 instead of MM. Provide an air vent on the central heating tube.

Side end connection

Ordering code: specify 32, 67, 41 or 58 instead of MM. Code 32 or 67 not suitable for the perpendicular to the wall model (LVSS/LVDS).

Cross-over connection

Ordering code: specify 51 or 48 instead of MM.

Single point connection


Ordering code: specify code 22 (left) or 77 (right) instead of MM.

Always use a horizontal diffusion tube (\varnothing 10 to 12 mm) of min. length of 100 mm and a reduction washer.

Non standard connections without surcharge


Fixings

Standard wall fixing




Ceiling fixing

The ceiling fixing is identical to the feet. It has however a length of 50 cm which can be adapted by the contractor on site.




Foot



Side end fixing

Dimensions in cm


	LVSS	LVDS
A	2.0	3.7
B	4.0	6.8



Configurations on size: see parts. Non standard-fixings are welded to the radiator and cannot be changed or reordered afterwards.

Deco Louvre_vertical single

Standard LVSW



Standard delivery


- central connection MM underneath
- wall fixing
- chrome-plated air vent and drain cock
- add to the code: L or R

Standard colours:

- white (233) RAL 9016 glossy
- white (201) RAL 9010 glossy
- sandblast grey metallic (001)

Deco Louvre_vertical double

Standard LVDW



Standard delivery

- central connection MM underneath
- wall fixing
- chrome-plated air vent and drain cock
- add to the code: L or R

Standard colours:

- white (233) RAL 9016 glossy
- white (201) RAL 9010 glossy
- sandblast grey metallic (001)

Options


Extended wall fixings (only suitable for LVSW)

Code 9092.50

The space between the rear of the collector and the wall is 3.7 cm instead of 1.7 cm.

Only possible in combination with connection to the wall and with Deco-Pro valve. Supplied free if the order code is specified along with the appliance code.


Surcharge for freestanding model LVSF



Length min. 54 cm.
option connection set 42

Ex. LVSF. 120 054. XXX/MM/L or R

Surcharge for freestanding model LVDF




Length min. 54 cm.
option connection set 42

Ex. LVDF. 120 054. XXX/MM/L or R

CODE	description
Code LVSF instead of LVSW	2 feet 2 ceiling fixings

CODE	description
Code LVDF instead of LVDW	2 feet 2 ceiling fixings

Surcharge for positioning perpendicular to the wall LVSS




Height max. 220 cm.
Length min. 54 cm, max. 105 cm.
option connection set 42

Ex. LVSS. 120 054. XXX/LL or RR/L or R

CODE	description
Code LVSS instead of LVSW	1 foot 2 side end fixings

Surcharge for positioning perpendicular to the wall LVDS



Height max. 220 cm.
Length min. 54 cm, max. 105 cm.
option connection set 42

Ex. LVDS. 120 054. XXX/LL or RR/L or R

CODE	description
Code LVDS instead of LVDW	1 foot 2 side end fixings



Output measured in accordance with EN442, at a water temperature of 75/65 and a room temperature of 20°C ($\Delta T=50$).

Outputs



Deco Louvre_vertical single		ORDERING CODE: LVSW.																	
		code	height	length	colour	conn.	corner												
H		L 031	037	042	048	054	060	065	071	077	082	088	094	099	105	111	117	122	128
120	75/65/20	420	504	588	672	756	840	924	1008	1092	1176	1260	1344	1428	1512	1596	1680	1764	1848
	90/70/20	533	639	746	852	959	1065	1172	1278	1385	1491	1598	1704	1811	1917	2024	2131	2237	2344
140	75/65/20	486	583	680	777	874	971	1068	1165	1262	1359	1457	1554	1651	1748	1845	1942	2039	2136
	90/70/20	616	739	862	985	1108	1231	1354	1477	1600	1723	1847	1970	2093	2216	2339	2462	2585	2708
160	75/65/20	550	659	769	879	989	1099	1209	1319	1429	1539	1649	1758	1868	1978	2088	2198	2308	2418
	90/70/20	697	835	975	1114	1254	1393	1533	1672	1812	1951	2090	2229	2368	2508	2647	2786	2926	3065
180	75/65/20	613	736	858	981	1103	1226	1349	1471	1594	1716	1839	1962	2084	2207	2329	2452	2575	2697
	90/70/20	777	933	1088	1244	1398	1554	1710	1865	2021	2175	2331	2487	2642	2798	2952	3108	3264	3419
192	75/65/20	651	781	911	1042	1172	1302	1432	1562	1693	1823	1953	2083	2213	2344	2474	2604	2734	2864
	90/70/20	825	990	1155	1321	1485	1650	1815	1980	2146	2311	2475	2640	2805	2971	3136	3300	3465	3630
200	75/65/20	676	811	946	1082	1217	1352	1487	1622	1758	1893	2028	2163	2298	2434	2569	2704	2839	2974
	90/70/20	857	1028	1199	1371	1543	1714	1885	2056	2228	2399	2570	2742	2913	3085	3256	3427	3598	3769
220	75/65/20	738	886	1033	1181	1328	1476	1624	1771	1919	2066	2214	2362	2509	2657	2804	2952	3100	3247
	90/70/20	935	1123	1309	1497	1683	1870	2058	2244	2432	2618	2806	2993	3179	3367	3553	3741	3928	4115
240	75/65/20	799	959	1119	1278	1438	1598	1758	1918	2077	2237	2397	2557	2717	2876	3036	3196	3356	3516
	90/70/20	1012	1215	1418	1619	1822	2025	2227	2430	2632	2834	3037	3240	3442	3644	3847	4049	4252	4455
260	75/65/20	860	1031	1203	1375	1547	1719	1891	2063	2235	2407	2579	2750	2922	3094	3266	3438	3610	3782
	90/70/20	1089	1306	1524	1742	1960	2178	2395	2613	2831	3049	3267	3484	3702	3919	4137	4355	4573	4791
280	75/65/20	920	1103	1287	1471	1655	1839	2023	2207	2391	2575	2759	2942	3126	3310	3494	3678	3862	4046
	90/70/20	1165	1397	1630	1863	2096	2329	2562	2795	3028	3261	3494	3726	3959	4192	4425	4658	4891	5124
300	75/65/20	979	1175	1371	1566	1762	1958	2154	2350	2545	2741	2937	3133	3329	3524	3720	3916	4112	4308
	90/70/20	1240	1488	1736	1983	2231	2479	2728	2976	3223	3471	3719	3967	4216	4462	4711	4959	5207	5455

Deco Louvre_vertical double

ORDERING CODE: LVDW. *code* height length colour conn. corner
120 031. XXX /MM /L

H		L 031	037	042	048	054	060	065	071	077	082	088	094	099	105	111	117	122	128
120	75/65/20	616	739	862	986	1109	1232	1355	1478	1602	1725	1848	1971	2094	2218	2341	2464	2587	2710
	90/70/20	786	942	1099	1257	1414	1571	1728	1885	2043	2200	2357	2514	2671	2829	2986	3142	3299	3456
140	75/65/20	714	857	1000	1142	1285	1428	1571	1714	1856	1999	2142	2285	2428	2570	2713	2856	2999	3142
	90/70/20	910	1092	1274	1455	1638	1820	2002	2184	2365	2548	2730	2912	3094	3275	3457	3640	3822	4004
160	75/65/20	809	971	1133	1294	1456	1618	1780	1942	2103	2265	2427	2589	2751	2912	3074	3236	3398	3560
	90/70/20	1030	1236	1443	1648	1854	2060	2266	2473	2678	2884	3090	3296	3503	3708	3914	4120	4327	4533
180	75/65/20	901	1081	1261	1442	1622	1802	1982	2162	2343	2523	2703	2883	3063	3244	3424	3604	3784	3964
	90/70/20	1146	1375	1604	1835	2064	2293	2522	2751	2981	3210	3439	3668	3897	4127	4356	4585	4814	5044
192	75/65/20	956	1147	1338	1529	1720	1911	2102	2293	2484	2675	2867	3058	3249	3440	3631	3822	4013	4204
	90/70/20	1216	1459	1701	1944	2187	2430	2673	2916	3159	3402	3646	3889	4132	4374	4617	4860	5103	5346
200	75/65/20	991	1189	1387	1586	1784	1982	2180	2378	2577	2775	2973	3171	3369	3568	3766	3964	4162	4360
	90/70/20	1260	1511	1763	2016	2268	2519	2771	3023	3276	3527	3779	4031	4283	4536	4787	5039	5291	5542
220	75/65/20	1078	1294	1509	1725	1940	2156	2372	2587	2803	3018	3234	3450	3665	3881	4096	4312	4528	4743
	90/70/20	1369	1644	1917	2191	2464	2739	3013	3286	3560	3834	4108	4382	4655	4930	5203	5477	5752	6025
240	75/65/20	1163	1395	1628	1860	2093	2325	2558	2790	3023	3255	3488	3720	3953	4185	4418	4650	4883	5115
	90/70/20	1476	1771	2066	2361	2657	2951	3247	3541	3837	4132	4427	4722	5018	5312	5608	5902	6198	6493
260	75/65/20	1245	1493	1742	1991	2240	2489	2738	2987	3236	3485	3734	3982	4231	4480	4729	4978	5227	5476
	90/70/20	1579	1893	2209	2525	2841	3156	3472	3788	4104	4420	4735	5050	5366	5681	5997	6313	6629	6944
280	75/65/20	1324	1588	1853	2118	2382	2647	2912	3176	3441	3706	3971	4235	4500	4765	5029	5294	5559	5823
	90/70/20	1678	2012	2348	2684	3019	3354	3690	4025	4361	4696	5032	5367	5703	6038	6373	6709	7045	7379
300	75/65/20	1400	1680	1960	2240	2520	2800	3080	3360	3640	3920	4200	4480	4760	5040	5320	5600	5880	6160
	90/70/20	1773	2127	2482	2836	3191	3545	3900	4254	4609	4963	5318	5672	6027	6381	6736	7090	7445	7799



Deco Louvre vertical

1

2

- 1.Deco Louvre_horizontal single
- 2.Deco Louvre_horizontal double




Deco Louvre horizontal



Deco Louvre_horizontal


Dimensions

LHSW_Louvre Horizontal Single Wall



Connections

Code: 1° number = flow
2° number = return



Standard connection

Code 18
Connection 18 or 81

Side end connection

One-sided: code 32 or 67 instead of 18
Cross-over: code 37 or 62 instead of 18


Single point connection

Specify code 11 (left) or 88 (right) instead of 18.

Always use a vertical diffusion tube (ø 10 to 12mm) of min. length of 100 mm and a reduction washer.


Fixings

Standard wall fixing




Foot

LHSF




LHDF



Side end fixing


LHDW_Louvre Horizontal Double Wall



Non standard connections without surcharge

Dimensions in cm


	LHSS	LHDS
A	2.0	3.7
B	4.0	6.8



Configurations on size: see parts. Non standard-fixings are welded to the radiator and cannot be changed or reordered afterwards.

Deco Louvre_ horizontal single

Standard LHSW




Standard delivery

- connection 18 underneath
- wall fixing
- chrome-plated air vent and drain cock

Deco Louvre_ horizontal double


Standard LHDW



Standard delivery

- connection 18 underneath
- wall fixing
- chrome-plated air vent and drain cock

Surcharge for freestanding model LHSF




Height max. 48 cm.

Ex. LHSF. 031 100. XXX/32 or 67

CODE	description
Code	up to L 220
LHSF	2 feet
instead of LHSW	from L 240
	3 feet

Surcharge for freestanding model LHDF



Height max. 48 cm.
Option connection set 31/33.

Ex. LHDF. 031 100. XXX/27,72,32 or 67

CODE	description
Code	up to L 220
LHDF	2 feet
instead of LHDW	from L 240
	3 feet



Output measured in accordance with EN442, at a water temperature of 75/65 and a room temperature of 20°C ($\Delta T=50$).

Outputs

Deco Louvre_horizontal single

code height length colour conn.
ORDERING CODE: LHSW. 031 100. XXX /18

H		L 100	120	140	160	180	200	220	240	260	280	300
031	75/65/20	358	430	502	573	645	717	788	860	932	1003	1075
	90/70/20	456	548	640	731	822	914	1005	1096	1188	1279	1370
037	75/65/20	440	528	616	704	792	880	967	1055	1143	1231	1319
	90/70/20	561	673	785	897	1009	1121	1232	1344	1456	1568	1680
042	75/65/20	522	626	730	835	939	1044	1148	1252	1357	1461	1565
	90/70/20	665	797	929	1063	1195	1329	1461	1594	1727	1860	1992
048	75/65/20	604	725	846	966	1087	1208	1329	1450	1570	1691	1812
	90/70/20	768	922	1076	1229	1383	1537	1691	1845	1998	2152	2305
054	75/65/20	686	823	960	1098	1235	1372	1509	1646	1784	1921	2058
	90/70/20	872	1046	1221	1396	1570	1744	1919	2093	2268	2442	2617
060	75/65/20	768	921	1075	1228	1382	1535	1689	1843	1996	2150	2303
	90/70/20	976	1170	1366	1560	1756	1951	2146	2342	2536	2732	2926
065	75/65/20	849	1019	1188	1358	1528	1698	1868	2037	2207	2377	2547
	90/70/20	1078	1294	1508	1724	1940	2156	2372	2587	2802	3018	3234
071	75/65/20	929	1115	1301	1487	1673	1859	2044	2230	2416	2602	2788
	90/70/20	1179	1415	1651	1887	2123	2359	2594	2830	3066	3302	3538
077	75/65/20	1009	1211	1412	1614	1816	2018	2220	2421	2623	2825	3027
	90/70/20	1280	1536	1791	2047	2303	2559	2815	3070	3326	3583	3839
082	75/65/20	1088	1305	1523	1740	1958	2175	2393	2610	2828	3045	3263
	90/70/20	1379	1654	1930	2205	2482	2757	3033	3308	3584	3859	4136
088	75/65/20	1165	1398	1631	1864	2097	2330	2563	2796	3029	3262	3495
	90/70/20	1476	1771	2066	2361	2656	2951	3246	3541	3836	4131	4427
094	75/65/20	1242	1490	1738	1987	2235	2483	2732	2980	3228	3476	3725
	90/70/20	1572	1886	2200	2515	2829	3143	3458	3772	4086	4400	4715

Deco Louvre_horizontal double

code height length colour conn.
ORDERING CODE:LHDW. 031 100. XXX /18

H		L 100	120	140	160	180	200	220	240	260	280	300
031	75/65/20	652	783	913	1044	1174	1304	1435	1565	1696	1826	1957
	90/70/20	825	991	1155	1321	1485	1650	1815	1980	2146	2310	2476
037	75/65/20	777	932	1088	1243	1398	1554	1709	1865	2020	2175	2331
	90/70/20	983	1179	1376	1573	1769	1966	2162	2360	2556	2752	2949
042	75/65/20	900	1081	1261	1441	1621	1801	1981	2161	2341	2521	2701
	90/70/20	1138	1367	1595	1823	2050	2278	2506	2734	2961	3189	3417
048	75/65/20	1023	1227	1432	1637	1841	2046	2250	2455	2659	2864	3069
	90/70/20	1294	1552	1811	2070	2328	2588	2846	3105	3363	3622	3881
054	75/65/20	1144	1373	1602	1831	2060	2289	2517	2746	2975	3204	3433
	90/70/20	1447	1736	2026	2316	2605	2895	3183	3473	3762	4052	4342
060	75/65/20	1265	1518	1771	2024	2277	2530	2783	3036	3289	3541	3794
	90/70/20	1600	1919	2239	2559	2879	3199	3519	3839	4159	4477	4797
065	75/65/20	1384	1661	1938	2215	2492	2769	3046	3323	3599	3876	4153
	90/70/20	1750	2100	2451	2801	3151	3501	3852	4202	4551	4901	5251
071	75/65/20	1503	1804	2104	2405	2706	3006	3307	3608	3908	4209	4510
	90/70/20	1900	2281	2660	3040	3421	3800	4181	4561	4941	5321	5702
077	75/65/20	1621	1945	2270	2594	2918	3242	3566	3891	4215	4539	4863
	90/70/20	2049	2458	2869	3279	3688	4098	4507	4918	5328	5737	6147
082	75/65/20	1738	2086	2433	2781	3129	3476	3824	4172	4519	4867	5215
	90/70/20	2197	2637	3075	3515	3955	4394	4834	5273	5712	6152	6592
088	75/65/20	1855	2225	2596	2967	3338	3709	4080	4451	4822	5193	5564
	90/70/20	2344	2812	3281	3750	4218	4687	5156	5625	6094	6563	7032
094	75/65/20	1970	2364	2758	3152	3546	3940	4334	4728	5122	5516	5910
	90/70/20	2490	2988	3485	3983	4481	4979	5477	5975	6473	6971	7469






Narcis




Narcis Dimensions

NARW_Narcis Wall



Connections

Code: 1° number = flow
2° number = return



Standard connection

Central connection at the bottom end, code MM, flow left or right

Bottom end connection

Bestelcode MM wijzigen in 18: aansluiting 18 of 81 mogelijk.

Top end connection

Specify code 45 or 54 instead of MM. Provide an air vent on the central heating tube.

Side end connection

Ordering code: specify 32, 67, 41 or 58 instead of MM.

Cross-over connection


Ordering code: specify 51 or 48 instead of MM.

Single point connection

Ordering code: specify code 22 (left) or 77 (right) instead of 18. Always use a horizontal diffusion tube (ø 10 to 12mm) of min. length of 100 mm and a reduction washer.

Non standard connections without surcharge

Range



Outputs


Narcis

code height length colour conn.
ORDERING CODE: NARW. 180 045. XXX /MM

H		L 045	058	071	084	097
180	75/65/20	490	736	981	1226	1471
	90/70/20	622	935	1246	1557	1868


Standard delivery

- central connection MM underneath
- wall fixing
- chrome-plated air vent and drain cock



Options

Coat hooks aluminium



CODE

9094.01 per pair

Extended wall fixings

Code 9092.50

The space between the rear of the collector and the wall is 3.7 cm instead of 1.7 cm.

Only possible in combination with connection to the wall and with Deco-Pro valve. Supplied free if the order code is specified along with the appliance code.



Output measured in accordance with EN442, at a water temperature of 75/65 and a room temperature of 20°C ($\Delta T=50$).