


Mini





1. Free-standing model, colour white
2. Backwards profiled grille
3. Optional fixing set for tablet
4. Thermostatic valve is totally concealed




Mini_Dimensions


MINW_Mini Wall

MINF_Mini Free-standing

height 08



height 13 - 23 - 28



Feet:

FS = feet short : 6.5 cm

FM = feet medium : 10 cm

FL = feet long : 12 cm

AS = adjustable feet short : 13.5 > 21 cm

AL = adjustable feet long : 21.5 > 34 cm

Starting with length 180, 3 feet will be delivered.

Height 08_Dimensions in cm

Type	D	D1	d	d1	h*	h1*
09	13	13.5	6.5	7.0	5	5
14	18	18.5	9.0	9.5	7	7
19	23	23.5	11.5	12.0	9	9

Height 13 - 23 - 28_Dimensions in cm


Type	D	D1	d	d1	h*	h1*
05/06	8	8.5	4.0	4.5	5	5
10/11	13	13.5	6.5	7.0	7	7
15/16	18	18.5	9.0	9.5	9	9
20/21	23	23.5	11.5	12.0	11	11

* Smaller dimensions can decrease output.

Connections


Jaga Comap valve to the wall

Jaga Comap valve to the floor




Jaga Pro valve to the wall

Jaga Pro valve to the floor




Jaga valve to the wall

Jaga valve to the floor



The valves offered by Jaga are totally concealed within the standard casing. Other valves may be partially visible. Detailed info: see Connection sets and valves.

Bench mounting set



DBE

DBE: the smallest and most powerful radiator. See price list "Top performers".

CODE	For type
standard colour	
5210.00005/xxx	05/06
5210.00010/xxx	09/10/11
5210.00015/xxx	14/15/16
5210.00020/xxx	19/20/21
other	
5210.00005/xxx	05/06
5210.00010/xxx	09/10/11
5210.00015/xxx	14/15/16
5210.00020/xxx	19/20/21


fill in colour code

Number of sets for length casing:

- from 060 to 160 cm: min. 2 sets
- from 180 to 300 cm: min. 3 sets

Bench not supplied. .

Brush




For easy cleaning of the underside of the Low-H₂O heat exchanger without detaching the casing.


CODE
5090.001



Mini



Mini_Wall mounted model




Standard delivery

- colour 101, 133 or 001
- Low-H₂O heat exchanger with other end connection, flow reversible L/R
- casing with wall fixings in the same colour
- chrome-plated air vent 1/8"
- drain cock 1/2"

Wall mounted model_height 8

ORDERING CODE: MINW. *code* height length *type* *colour*
008 008 060 09. xxx

H	T	L	060	070	080	090	100	110	120	140	160	180	200	220	240	260	280	300
008	09	75/65/20	255	298	340	383	425	468	510	595	680	765	850	935	1020	1105	1190	1275
		90/70/20	330	386	440	496	550	606	660	771	881	991	1101	1211	1321	1431	1541	1651
14		75/65/20	416	486	555	625	694	763	833	972	1110	1249	1388	1527	1666	1804	1943	2082
		90/70/20	539	629	719	809	899	988	1079	1259	1437	1617	1797	1978	2158	2336	2516	2696
19		75/65/20	572	667	762	858	953	1048	1144	1334	1525	1715	1906	2097	2287	2478	2668	2859
		90/70/20	741	864	987	1111	1234	1357	1482	1728	1975	2221	2468	2716	2962	3209	3455	3702



Standard delivery


- colour 101, 133 or 001
- Low-H₂O heat exchanger
- casing with wall fixings in the same colour
- chrome-plated air vent 1/8"
- drain cock 1/2"

Wall mounted model_height 13

ORDERING CODE: MINW. *code* height length *type* *colour*
013 013 060 05. xxx

H	T	L	060	070	080	090	100	110	120	140	160	180	200	220	240	260	280	300
013	05	75/65/20	197	230	263	296	329	362	395	461	526	592	658	724	790	855	921	987
		90/70/20	255	298	340	383	426	468	511	596	681	766	851	937	1022	1106	1192	1277
10		75/65/20	303	354	404	455	505	556	606	707	808	909	1010	1111	1212	1313	1414	1515
		90/70/20	392	459	523	589	654	720	785	916	1047	1177	1308	1439	1570	1701	1832	1962
15		75/65/20	508	593	678	762	847	932	1016	1186	1355	1525	1694	1863	2033	2202	2372	2541
		90/70/20	658	768	878	986	1096	1207	1315	1535	1754	1974	2193	2412	2632	2851	3071	3289
20		75/65/20	717	837	956	1076	1195	1315	1434	1673	1912	2151	2390	2629	2868	3107	3346	3585
		90/70/20	928	1084	1238	1393	1547	1702	1856	2166	2475	2785	3094	3403	3713	4022	4332	4641

Mini_Wall mounted model



Standard delivery


- colour 101, 133 or 001
- Twin Low-H₂O heat exchanger
- casing with wall fixings in the same colour
- chrome-plated air vent 1/8"
- drain cock 1/2"

Wall mounted model Twin_height 23



ORDERING CODE: MINW. *code* height length type colour
023 060 06. xxx

H	T	L	060	070	080	090	100	110	120	140	160	180	200	220	240	260	280	300
023	06	75/65/20	323	377	431	485	539	593	647	755	862	970	1078	1186	1294	1401	1509	1617
		90/70/20	418	488	557	627	697	767	837	976	1115	1255	1394	1534	1674	1812	1952	2091
11	06	75/65/20	601	701	802	902	1002	1102	1202	1403	1603	1804	2004	2204	2405	2605	2806	3006
		90/70/20	782	912	1043	1173	1303	1433	1563	1825	2085	2346	2606	2866	3128	3388	3649	3909
16	06	75/65/20	785	916	1046	1177	1308	1439	1570	1831	2093	2354	2616	2878	3139	3401	3662	3924
		90/70/20	1023	1194	1363	1534	1705	1875	2046	2386	2728	3068	3409	3751	4091	4433	4773	5114
21	06	75/65/20	1021	1191	1361	1531	1701	1871	2041	2381	2722	3062	3402	3742	4082	4423	4763	5103
		90/70/20	1333	1555	1777	1999	2221	2443	2665	3109	3554	3998	4442	4886	5330	5775	6219	6663



Standard delivery

- colour 101, 133 or 001
- Twin Low-H₂O heat exchanger
- casing with wall fixings in the same colour
- chrome-plated air vent 1/8"
- drain cock 1/2"


Wall mounted model Twin_height 28



ORDERING CODE: MINW. *code* height length type colour
028 060 06. xxx

H	T	L	060	070	080	090	100	110	120	140	160	180	200	220	240	260	280	300
028	06	75/65/20	342	399	456	513	570	627	684	798	912	1026	1140	1254	1368	1482	1596	1710
		90/70/20	442	515	589	663	736	810	883	1031	1178	1325	1472	1620	1767	1914	2061	2208
11	06	75/65/20	653	762	871	980	1089	1198	1307	1525	1742	1960	2178	2396	2614	2831	3049	3267
		90/70/20	849	991	1133	1274	1416	1558	1700	1983	2265	2549	2832	3116	3399	3682	3965	4249
16	06	75/65/20	860	1003	1146	1290	1433	1576	1720	2006	2293	2579	2866	3153	3439	3726	4012	4299
		90/70/20	1121	1308	1494	1682	1868	2055	2243	2615	2990	3362	3737	4111	4484	4858	5231	5605
21	06	75/65/20	1127	1315	1503	1691	1879	2067	2255	2631	3006	3382	3758	4134	4510	4885	5261	5637
		90/70/20	1473	1718	1964	2210	2455	2701	2946	3438	3928	4419	4910	5402	5893	6383	6874	7366

Mini_Fixed feet



Standard delivery


- colour 101, 133 or 001
- Low-H₂O heat exchanger with other end connection, flow reversible L/R
- casing with wall fixings in the same colour
- chrome-plated air vent 1/8"
- drain cock 1/2"
- fixed feet FS, height 6.5 cm, in the same colour as the apparatus

Other fixed feet - no surcharge:

- for feet with height 10 cm, ordering code /FM.
Ex.: MINF. 008 060 09. xxx /FM
- for feet with height 12 cm, ordering code /FL.
Ex.: MINF. 008 060 09. xxx /FL

Free-standing model_height 8

		ORDERING CODE: MINF.																
H	T	L	060	070	080	090	100	110	120	140	160	180	200	220	240	260	280	300
008	09	75/65/20	255	298	340	383	425	468	510	595	680	765	850	935	1020	1105	1190	1275
		90/70/20	330	386	440	496	550	606	660	771	881	991	1101	1211	1321	1431	1541	1651
14		75/65/20	416	486	555	625	694	763	833	972	1110	1249	1388	1527	1666	1804	1943	2082
		90/70/20	539	629	719	809	899	988	1079	1259	1437	1617	1797	1978	2158	2336	2516	2696
19		75/65/20	572	667	762	858	953	1048	1144	1334	1525	1715	1906	2097	2287	2478	2668	2859
		90/70/20	741	864	987	1111	1234	1357	1482	1728	1975	2221	2468	2716	2962	3209	3455	3702



Standard delivery

- colour 101, 133 or 001
- Low-H₂O heat exchanger
- chrome-plated air vent 1/8"
- drain cock 1/2"
- fixed feet FS, height 6.5 cm, in the same colour as the apparatus


Other fixed feet - no surcharge:

- for feet with height 10 cm, ordering code /FM.
Ex.: MINF. 013 060 05. xxx /FM
- for feet with height 12 cm, ordering code /FL.
Ex.: MINF. 013 060 05. xxx /FL

Free-standing model_height 13

		ORDERING CODE: MINF.																
H	T	L	060	070	080	090	100	110	120	140	160	180	200	220	240	260	280	300
013	05	75/65/20	197	230	263	296	329	362	395	461	526	592	658	724	790	855	921	987
		90/70/20	255	298	340	383	426	468	511	596	681	766	851	937	1022	1106	1192	1277
10		75/65/20	303	354	404	455	505	556	606	707	808	909	1010	1111	1212	1313	1414	1515
		90/70/20	392	459	523	589	654	720	785	916	1047	1177	1308	1439	1570	1701	1832	1962
15		75/65/20	508	593	678	762	847	932	1016	1186	1355	1525	1694	1863	2033	2202	2372	2541
		90/70/20	658	768	878	986	1096	1207	1315	1535	1754	1974	2193	2412	2632	2851	3071	3289
20		75/65/20	717	837	956	1076	1195	1315	1434	1673	1912	2151	2390	2629	2868	3107	3346	3585
		90/70/20	928	1084	1238	1393	1547	1702	1856	2166	2475	2785	3094	3403	3713	4022	4332	4641

Mini_Fixed feet



Standard delivery

- colour 133, 101 or 001
- Twin Low-H₂O heat exchanger
- chrome-plated air vent 1/8"
- drain cock 1/2"
- fixed feet FM, height 10 cm, in the same colour as the apparatus


Other fixed feet - no surcharge:
 - for feet with height 12 cm, ordering code /FL.
 Ex.: MINF. 023 060 06. xxx /FL

Free-standing model Twin_height 23



ORDERING CODE: MINF. *code* *height* *length* *type* *colour* *foot*
 023 06 060 06. xxx /FM

H	T	L	060	070	080	090	100	110	120	140	160	180	200	220	240	260	280	300
023	06	75/65/20	323	377	431	485	539	593	647	755	862	970	1078	1186	1294	1401	1509	1617
		90/70/20	418	488	557	627	697	767	837	976	1115	1255	1394	1534	1674	1812	1952	2091
11	11	75/65/20	601	701	802	902	1002	1102	1202	1403	1603	1804	2004	2204	2405	2605	2806	3006
		90/70/20	782	912	1043	1173	1303	1433	1563	1825	2085	2346	2606	2866	3128	3388	3649	3909
16	16	75/65/20	785	916	1046	1177	1308	1439	1570	1831	2093	2354	2616	2878	3139	3401	3662	3924
		90/70/20	1023	1194	1363	1534	1705	1875	2046	2386	2728	3068	3409	3751	4091	4433	4773	5114
21	21	75/65/20	1021	1191	1361	1531	1701	1871	2041	2381	2722	3062	3402	3742	4082	4423	4763	5103
		90/70/20	1333	1555	1777	1999	2221	2443	2665	3109	3554	3998	4442	4886	5330	5775	6219	6663



Standard delivery


- colour 133, 101 or 001
- Twin Low-H₂O heat exchanger
- chrome-plated air vent 1/8"
- drain cock 1/2"
- fixed feet FM, height 10 cm, in the same colour as the apparatus

Other fixed feet - no surcharge:
 - for feet with height 12 cm, ordering code /FL.
 Ex.: MINF. 028 060 06. xxx /FL



H	T	L	060	070	080	090	100	110	120	140	160	180	200	220	240	260	280	300
028	06	75/65/20	342	399	456	513	570	627	684	798	912	1026	1140	1254	1368	1482	1596	1710
		90/70/20	442	515	589	663	736	810	883	1031	1178	1325	1472	1620	1767	1914	2061	2208
11	11	75/65/20	653	762	871	980	1089	1198	1307	1525	1742	1960	2178	2396	2614	2831	3049	3267
		90/70/20	849	991	1133	1274	1416	1558	1700	1983	2265	2549	2832	3116	3399	3682	3965	4249
16	16	75/65/20	860	1003	1146	1290	1433	1576	1720	2006	2293	2579	2866	3153	3439	3726	4012	4299
		90/70/20	1121	1308	1494	1682	1868	2055	2243	2615	2990	3362	3737	4111	4484	4858	5231	5605
21	21	75/65/20	1127	1315	1503	1691	1879	2067	2255	2631	3006	3382	3758	4134	4510	4885	5261	5637
		90/70/20	1473	1718	1964	2210	2455	2701	2946	3438	3928	4419	4910	5402	5893	6383	6874	7366

Mini_Adjustable feet



Standard delivery

- colour 101, 133 or 001
- Twin Low-H₂O heat exchanger
- chrome-plated air vent 1/8"
- drain cock 1/2"
- adjustable feet AS, height from 13.5 to 21 cm, in the same colour as the apparatus


Other adjustable feet - no surcharge:
 - for feet with height from 21.5 cm to 34 cm, ordering code /AL.
 Ex.: MINF. 023 060 06. xxx /AL

Free-standing model Twin_height 23



ORDERING CODE: *code* MINF. *height* 023 *length* 060 *type* 06. *colour* xxx *foot* /AS

H	T	L	060	070	080	090	100	110	120	140	160	180	200	220	240	260	280	300
023	06	75/65/20	323	377	431	485	539	593	647	755	862	970	1078	1186	1294	1401	1509	1617
		90/70/20	418	488	557	627	697	767	837	976	1115	1255	1394	1534	1674	1812	1952	2091
11	11	75/65/20	601	701	802	902	1002	1102	1202	1403	1603	1804	2004	2204	2405	2605	2806	3006
		90/70/20	782	912	1043	1173	1303	1433	1563	1825	2085	2346	2606	2866	3128	3388	3649	3909
16	16	75/65/20	785	916	1046	1177	1308	1439	1570	1831	2093	2354	2616	2878	3139	3401	3662	3924
		90/70/20	1023	1194	1363	1534	1705	1875	2046	2386	2728	3068	3409	3751	4091	4433	4773	5114
21	21	75/65/20	1021	1191	1361	1531	1701	1871	2041	2381	2722	3062	3402	3742	4082	4423	4763	5103
		90/70/20	1333	1555	1777	1999	2221	2443	2665	3109	3554	3998	4442	4886	5330	5775	6219	6663



Standard delivery

- colour 101, 133 or 001
- Twin Low-H₂O heat exchanger
- chrome-plated air vent 1/8"
- drain cock 1/2"
- adjustable feet AS, height from 13.5 to 21 cm, in the same colour as the apparatus

Other adjustable feet - no surcharge:
 - for feet with height from 21.5 cm to 34 cm, ordering code /AL.
 Ex.: MINF. 028 060 06. xxx /AL

Free-standing model Twin_height 28



ORDERING CODE: *code* MINF. *height* 028 *length* 060 *type* 06. *colour* xxx *foot* /AS

H	T	L	060	070	080	090	100	110	120	140	160	180	200	220	240	260	280	300
028	06	75/65/20	342	399	456	513	570	627	684	798	912	1026	1140	1254	1368	1482	1596	1710
		90/70/20	442	515	589	663	736	810	883	1031	1178	1325	1472	1620	1767	1914	2061	2208
11	11	75/65/20	653	762	871	980	1089	1198	1307	1525	1742	1960	2178	2396	2614	2831	3049	3267
		90/70/20	849	991	1133	1274	1416	1558	1700	1983	2265	2549	2832	3116	3399	3682	3965	4249
16	16	75/65/20	860	1003	1146	1290	1433	1576	1720	2006	2293	2579	2866	3153	3439	3726	4012	4299
		90/70/20	1121	1308	1494	1682	1868	2055	2243	2615	2990	3362	3737	4111	4484	4858	5231	5605
21	21	75/65/20	1127	1315	1503	1691	1879	2067	2255	2631	3006	3382	3758	4134	4510	4885	5261	5637
		90/70/20	1473	1718	1964	2210	2455	2701	2946	3438	3928	4419	4910	5402	5893	6383	6874	7366